Neuroscience Letters, 227 (1997) 215–218
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Aguilar, M., see Ezquerra, M., 201
Akaike, A., see Takami, S., 173
Åkerman, K.E.O., see Coffey, E.T., 177
Amouyel, P., see Wavrant-DeVrièze, F., 68
Arai, N., see Takeda, A., 157
Armstrong, R.A., Cairns, N.J., Lantos, P.L., β-Amyloid (Aβ) deposition in the medial temporal lobe of patients with dementia with Lewy bodies, 193
Arthur, H., see Halliday, G., 49
Aurelio Parada, M., see Puig de Parada, M., 153

Baba, A., see Nogi, H., 37
Bakardjiev A., Biosynthesis of carnosine in primary cultures of rat olfactory bulb, 115
Ballesta, F., see Ezquerra, M., 201
Bartlett, S.E., Protein tyrosine kinase inhibitors synergize with nerve growth factor in embryonic chick sensory neuronal cell survival, 87
Baumgartner, A., Eravci, M., Pinna, G., Hiedra, L., Prengel, H., Brödel, O., Meinhold, H., Thyroid hormone metabolism in the rat brain in an animal model of 'behavioral dependence' on ethanol, 25
Benedek, P., see Lohinai, Z., 91
Bengualid, K.M., see Mielke, J.G., 169
Berger, A.J., see O'Brien, J.A., 5
Bizot, J.C., see Deschaux, O., 57
Blesa, R., see Ezquerra, M., 201
Brödel, O., see Baumgartner, A., 25
Broe, G.A., see Halliday, G., 49
Brooks, W., see Halliday, G., 49
Browning, K.N., see Hirai, K., 212

Cairns, N.J., see Armstrong, R.A., 193
Cano, J., see Vizuete, M.L., 53
Chartier-Harlin, M.-C., see Wavrant-DeVrièze, F., 68
Chen, T.-M., see Hou, W.-Y., 99
Chiba, S.,Wada, J.A., The effect of electrolytic lesioning of the midbrain prior to amygdala kindling in rats, 83
Coffey, E.T., Åkerman, K.E.O., Courtney, M.J., Brain derived neurotrophic factor induces a rapid upregulation of synaptophysin and tau proteins via the neurotrophin receptor TrkB in rat cerebellar granule cells, 177
Contreras, Q., see Puig de Parada, M., 153
Courtney, M.J., see Coffey, E.T., 177
Creasey, H., see Halliday, G., 49
Csikos, T., see Gallinat, S., 29
Csillag, A., see Lohinai, Z., 91

Dailey, J.W., Reith, M.E.A., Yan, Q.-S., Li, M.-Y., Jobe, P.C., Anticonvulsant doses of carbamazepine increase hippocampal extracellular serotonin in genetically epilepsy-prone rats: dose response relationships, 13
Delacourte, A., see Wavrant-DeVrièze, F., 68
Deschaux, O., Bizot, J.C., Effect of apamin, a selective blocker of Ca^{2+}-activated K^+-channel, on habituation and passive avoidance responses in rats, 57
Diaz, R., Sokoloff, P., Fuxe, K., Codistribution of the dopamine D_3 receptor and glucocorticoid receptor mRNAs during striatal prenatal development in the rat, 119
Ding, Y.-Q., see Gong, L.-W., 33
Ding, Z., see Holthusen, H., 111
Doutrelant-Viltart, O., Sauvage, M., Sequeira, H., Expression of *c-fos* in bulbar nuclei involved in cardiovascular control following the electrical stimulation of sensorimotor cortex in the rat, 71

Ehrhardt, J., see Weiss, T., 95
El Bahh, B., Lurton, D., Sundstrom, L.E., Rougier, A., Induction of tolerance and mossy fibre neuropeptide-Y expression in the contralateral hippocampus following a unilateral intrahippocampal kainic acid injection in the rat, 135
Elbert, T., see Eulitz, C., 185
Eravci, M., see Baumgartner, A., 25
Erb, M., see Wildgruber, D., 161
Eulitz, C., Eulitz, H., Elbert, T., Differential outcomes from magneto- and electroencephalography for the analysis of human cognition, 185
Eulitz, H., see Eulitz, C., 185
Ezquerra, M., Blesa, R., Tolosa, E., Pousa, S.L., Aguilar, M., Peña, J., Van Broeckhoven, C., Ballesta, F., Oliva, R., The genotype 2/2 of the presenilin-1 polymorphism is decreased in Spanish early-onset Alzheimer's disease, 201

Frigard, B., see Wavrant-DeVrièze, F., 68
Froehlich, J.C., see Gong, J., 9
Fujii, T., Mori, Y., Tominaga, T., Hayasaka, I., Kawashima, K., Maintenance of constant blood acetylcholine content before and after feeding in young chimpanzees, 21
Fukui, Y., see Uemura, N., 131
Fukushima, T., Shimazoe, T., Shibata, S., Watanabe, A., Ono, M., Hamada, T., Watanabe, S., The involvement of calmodulin and Ca^{2+}/calmodulin-dependent protein kinase II in the circadian rhythms controlled by the suprachiasmatic nucleus, 45
Funakoshi, A., see Yamanouchi, S., 103
Fuxe, K., see Diaz, R., 119

Gallinat, S., Csikos, T., Meffert, S., Herdegen, T., Stoll, M., Unger, T., The angiotensin AT_2 receptor down-regulates neurofilament M in PC12W cells, 29
Gong, J., Li, X.-W., Lai, Z., Froehlich, J.C., Yu, L., Quantitative comparison of mu opioid receptor mRNA in selected CNS regions of alcohol naive rats selectively bred for high and low alcohol drinking, 9
Gong, L.-W., Ding, Y.-Q., Wang, D., Zheng, H.-X., Qin, B.-Z., Li, J.-S., Kaneko, T., Mizuno, N., GABAergic synapses on μ-opioid receptor-expressing neurons in the superficial dorsal horn: an electron microscope study in the cat spinal cord, 33
Grodd, W., see Wildgruber, D., 161
Gutberlet, I., see Weiss, T., 95

Hagihara, N., see Nogi, H., 37
Halliday, G., Brooks, W., Arthur, H., Creasey, H., Broe, G.A., Further evidence for an association between a mutation in the APP gene and Lewy body formation, 49

Hamada, T., see Fukushima, T., 45
Hara, Y., Ueta, Y., Isse, T., Kabashima, N., Shibuya, I., Hattori, Y., Yamashita, H., Increase of urocortin-like immunoreactivity in the rat hypothalamo-neurohypophysial system after salt loading and hypophysectomy, 127
Harada, H., see Seta, Y., 61
Hardy, J., see Wavrant-DeVrièze, F., 68
Hashimoto, H., see Nogi, H., 37
Hattori, Y., see Hara, Y., 127
Hayasaka, I., see Fujii, T., 21
Herdegen, T., see Gallinat, S., 29
Hernandez, L., see Puig de Parada, M., 153
Hiedra, L., see Baumgartner, A., 25
Hilbig, H., Müller, A., Conversion of biocytin labelled cells and structures for the confocal laser-scanning method, 209
Hirai, K., Browning, K.N., Lees, G.M., Neuropeptide Y hyperpolarizes submucosal neurons of the guinea-pig descending colon, 212
Hisano, S., see Uemura, N., 131
Hoheisel, U., Kaske, A., Reinert, A., Mense, S., Frequency-dependent expression of diaphorase staining and nNOS-immunoreactivity in rat dorsal horn neurones following C-fibre stimulation, 181
Holthusen, H., Ding, Z., Nitric oxide is not involved in vascular nociception of noxious physical stimuli in humans, 111
Honda, K., see Wang, Y.-F., 17
Hosoi, Y., see Murakami, M., 65
Hou, W.-Y., Shyu, B.-C., Chen, T.-M., Shieh, J.-Y., Sun, W.-Z., Protein synthesis inhibitor cycloheximide dose-dependently decreases formalin-induced c-Fos protein and behavioral hyperalgesia in rats, 99

Imagawa, M., see Nishiwaki, Y., 123
Inaba, T., see Tani, H., 149
Iriuchijima, T., see Murakami, M., 65
Isaacson, J.S., see O'Brien, J.A., 5
Isse, T., see Hara, Y., 127
Ivy, G.O., see Mielke, J.G., 169

Jobe, P.C., see Dailey, J.W., 13
Jørum, E., see Warncke, T., 1

Kabashima, N., see Hara, Y., 127
Kamino, K., see Nishiwaki, Y., 123
Kamiya, Y., see Murakami, M., 65
Kaneko, T., see Gong, L.-W., 33
Kaske, A., see Hoheisel, U., 181
Kato, S., see Takeda, A., 157
Kawashima, K., see Fujii, T., 21
Kawashima, S., see Saido T.C., 75
Klose, U., see Wildgruber, D., 161
Kobayashi, T., see Nishiwaki, Y., 123
Komori, T., see Takeda, A., 157
Kono, A., see Yamanouchi, S., 103
Kopp, M., Meissl, H., Korf, H.-W., The pituitary adenylate cyclase-activating polypeptide-induced phosphorylation of the transcription factor CREB (cAMP response element binding protein) in the rat suprachiasmatic nucleus is inhibited by melatonin, 145
Korf, H.-W., see Kopp, M., 145
Kostyuk, P., see Svichar, N., 107
Kumpf, K., see Weiss, T., 95

Lai, Z., see Gong, J., 9
Lambert, J.-C., see Wavrant-DeVrièze, F., 68
Lantos, P.L., see Armstrong, R.A., 193
Large, C.H., see Roberts, L.A., 205
Lees, G.M., see Hirai, K., 212
Leung, K., Lynn, B., The effect of topical turpentine on the functional properties of cutaneous afferents in the anaesthetized rat, 189
Li, J.-S., see Gong, L.-W., 33
Li, M.-Y., see Dailey, J.W., 13
Li, X.-W., see Gong, J., 9
Lohinai, Z., Székely, A.D., Benedek, P., Csillag, A., Nitric oxide synthase containing nerves in the cat and dog dental pulp and gingiva, 91
Lurton, D., see El Bahh, B., 135
Lynn, B., see Leung, K., 189

Machado, A., see Vizuete, M.L., 53
Maetani, M., see Yamanouchi, S., 103
Maritz, J., see Mielke, J.G., 169
Matsuda, T., see Nogi, H., 37
Matsuyama, S., see Tani, H., 149
Meffert, S., see Gallinat, S., 29
Meinhold, H., see Baumgartner, A., 25
Meissl, H., see Kopp, M., 145
Mense, S., see Hoheisel, U., 181
Mielke, J.G., Murphy, M.P., Maritz, J., Bengualid, K.M., Ivy, G.O., Chloroquine administration in mice increases β-amyloid immunoreactivity and attenuates kainate-induced blood–brain barrier dysfunction, 169
Miki, T., see Nishiwaki, Y., 123
Miltner, W.H.R., see Weiss, T., 95
Minami, M., see Takami, S., 173
Miyasaka, K., see Yamanouchi, S., 103
Mizuma, H., see Murakami, M., 65
Mizuno, N., see Gong, L.-W., 33
Molina, G., see Puig de Parada, M., 153
Mori, H., see Nishijo, K., 165
Mori, M., see Murakami, M., 65
Mori, Y., see Fujii, T., 21
Moriya, T., see Yamanouchi, S., 103
Morris, B.J., see Roberts, L.A., 205
Müller, A., see Hilbig, H., 209
Murakami., M., Hosoi, Y., Negishi, T., Kamiya, Y., Ogiwara, T., Mizuma, H., Yamada, M., Iriuchijima, T., Mori M., Expression and nocturnal increase of type II iodothyronine deiodinase mRNA in rat pineal gland, 65
Murphy, M.P., see Mielke, J.G., 169
Murzi, E., see Puig de Parada, M., 153

Näätänen, R., see Tervaniemi, M., 197
Nabetani, M., see Takata, T., 41
Nacmias, B., see Salvatore, M., 140
Nagata, S., see Yamanouchi, S., 103
Negishi, T., see Murakami, M., 65
Negoro, H., see Wang, Y.-F., 17

Nishijo, H., Yamamoto, Y., Ono, T., Uwano, T., Yamashita, J., Yamashima, T., Single neuron responses in the monkey anterior cingulate cortex during visual discrimination, 79
Nishijo, K., Mori, H., Yosikawa, K., Yazawa, K., Decreased heart rate by acupuncture stimulation in humans via facilitation of cardiac vagal activity and suppression of cardiac sympathetic nerve, 165
Nishikawa, H., see Takami, S., 173
Nishiwaki, Y., Kamino, K., Yoshiiwa, A., Sato, N., Tateishi, K., Takeda, M., Kobayashi, T., Yamamoto, H., Nonomura, Y., Yoneda, H., Sakai, T., Imagawa, M., Miki, T., Ogihara, T., T/G polymorphism at intron 9 of presenilin 1 gene is associated with, but not responsible for sporadic late-onset Alzheimer's disease in Japanese population, 123
Nishiyori, A., see Takami, S., 173
Nogi, H., Hashimoto, H., Hagihara, N., Shimada, S., Yamamoto, K., Matsuda, T., Tohyama, M., Baba, A., Distribution of mRNAs for pituitary adenylate cyclase-activating polypeptide (PACAP), PACAP receptor, vasoactive intestinal polypeptide (VIP), and VIP receptors in the rat superior cervical ganglion, 37
Nonomura, Y., see Nishiwaki, Y., 123

O'Brien, J.A., Isaacson, J.S., Berger, A.J., NMDA and non-NMDA receptors are co-localized at excitatory synapses of rat hypoglossal motoneurons, 5
Oda, M., see Takeda, A., 157
Ogihara, T., see Nishiwaki, Y., 123
Ogiwara, T., see Murakami, M., 65
Okada, Y., see Takata, T., 41
Oliva, R., see Ezquerra, M., 201
Ono, M., see Fukushima, T., 45
Ono, T., see Nishijo, H., 79
O'Shaughnessy, C.T., see Roberts, L.A., 205

Paez, X., see Puig de Parada, M., 153
Pasquier, F., see Wavrant-DeVrièze, F., 68
Peña, J., see Ezquerra, M., 201
Pérez-Tur, J., see Wavrant-DeVrièze, F., 68
Petraroli, R., see Salvatore, M., 140
Pinna, G., see Baumgartner, A., 25
Pocchiari, M., see Salvatore, M., 140
Pousa, S.L., see Ezquerra, M., 201
Prengel, H., see Baumgartner, A., 25
Puig de Parada, M., Paez, X., Aurelio Parada, M., Hernandez, L., Molina, G., Murzi, E., Contreras, Q., Changes in dopamine and acetylcholine release in the rat lateral hypothalamus during deprivation-induced drinking, 153

Qin, B.-Z., see Gong, L.-W., 33

Reinert, A., see Hoheisel, U., 181
Reith, M.E.A., see Dailey, J.W., 13
Roberts, L.A., Large, C.H., O'Shaughnessy, C.T., Morris, B.J., Long-term potentiation in perforant path/granule cell synapses is associated with a post-synaptic induction of proenkephalin gene expression, 205
Rougier, A., see El Bahh, B., 135

Saido, T.C., Kawashima, S., Tani, E., Yokota, M., Up- and down-regulation of calpain inhibitor polypeptide, calpastatin, in post-ischemic hippocampus, 75
Sakai, T., see Nishiwaki, Y., 123
Salvatore, M., Seeber, A.C., Nacmias, B., Petraroli, R., Sorbi, S., Pocchiari, M., Alpha1 antichymotrypsin signal peptide polymorphism in sporadic Creutzfeldt–Jakob disease, 140
Sato, M., see Takami, S., 173
Sato, N., see Nishiwaki, Y., 123
Satoh, M., see Takami, S., 173
Sauvage, M., see Doutrelant-Viltart, O., 71
Sawada, T., see Tani, H., 149
Schröger, E., see Tervaniemi, M., 197
Seeber, A.C., see Salvatore, M., 140
Sequeira, H., see Doutrelant-Viltart, O., 71
Seta, Y., Harada, H., Toyoshima, K., Isolation, partial purification, and ultrastructure of taste bud cells from rabbit foliate papillae, 61
Shibata, S., see Fukushima, T., 45
Shibata, S., see Yamanouchi, S., 103
Shibuya, I., see Hara, Y., 127
Shieh, J.-Y., see Hou, W.-Y., 99
Shimada, S., see Nogi, H., 37
Shimazoe, T., see Fukushima, T., 45
Shimazoe, T., see Yamanouchi, S., 103
Shmigol, A., see Svichar, N., 107
Shyu, B.-C., see Hou, W.-Y., 99
Sokoloff, P., see Diaz, R., 119
Sorbi, S., see Salvatore, M., 140
Stoll, M., see Gallinat, S., 29
Stubhaug A., see Warncke, T., 1
Sun, W.-Z., see Hou, W.-Y., 99
Sundstrom, L.E., see El Bahh, B., 135
Svichar, N., Shmigol, A., Verkhratsky, A., Kostyuk, P., $InsP_3$-induced Ca^{2+} release in dorsal root ganglion neurones, 107
Székely, A.D., see Lohinai, Z., 91

Takami, S., Nishikawa, H., Minami, M., Nishiyori, A., Sato, M., Akaike, A., Satoh, M., Induction of macrophage inflammatory protein MIP-1α mRNA on glial cells after focal cerebral ischemia in the rat, 173
Takamori, Y., see Tani, H., 149
Takano, H., see Tani, H., 149
Takata, T., Nabetani, M., Okada, Y., Effects of hypothermia on the neuronal activity, $[Ca^{2+}]_i$ accumulation and ATP levels during oxygen and/or glucose deprivation in hippocampal slices of guinea pigs, 41
Takeda, A., Arai, N., Komori, T., Kato, S., Oda, M., Neuronal inclusions in the dentate fascia in patients with multiple system atrophy, 157
Takeda, M., see Nishiwaki, Y., 123
Tamada, H., see Tani, H., 149
Tani, E., see Saido T.C., 75
Tani, H., Inaba, T., Matsuyama, S., Takamori, Y., Torii, R., Takano, H., Tamada, H., Sawada, T., Enhancement of estrogen receptor gene expression in the mediobasal hypothalamus during anestrus in the beagle bitch, 149
Tateishi, K., see Nishiwaki, Y., 123
Tervaniemi, M., Schröger, E., Näätänen, R., Pre-attentive processing of spectrally complex sounds with asynchronous onsets: an event-related potential study with human subjects, 197

Tohyama, M., see Nogi, H., 37
Tolosa, E., see Ezquerra, M., 201
Tominaga, T., see Fujii, T., 21
Torii, R., see Tani, H., 149
Toyoshima, K., see Seta, Y., 61
Traiffort, E., see Vizuete, M.L., 53

Uemura, N., Hisano, S., Fukui, Y., Induction of Fos-like immunoreactivity in the lower brainstem and the spinal cord of the rat by intraperitoneal administration of an endogenous satiety substance, 2-buten-4-olide, 131
Ueta, Y., see Hara, Y., 127
Unger, T., see Gallinat, S., 29
Uwano, T., see Nishijo, H., 79

Van Broeckhoven, C., see Ezquerra, M., 201
Vargas, C., see Vizuete, M.L., 53
Venero, J.L., see Vizuete, M.L., 53
Verkhratsky, A., see Svichar, N., 107
Vizuete, M.L., Venero, J.L., Traiffort, E., Vargas, C., Machado, A., Cano, J., Expression of 5-HT_7 receptor mRNA in rat brain during postnatal development, 53

Wada, J.A., see Chiba, S., 83
Wang, D., see Gong, L.-W., 33
Wang, Y.-F., Negoro, H., Honda, K., Effect of interhemispheric sections of the hypothalamus on milk-ejection bursts of supraoptic oxytocin neurones during bilateral and unilateral suckling in the rat, 17
Warncke, T., Jørum, E., Stubhaug, A., Local treatment with the *N*-methyl-D-aspartate receptor antagonist ketamine, inhibit development of secondary hyperalgesia in man by a peripheral action, 1
Watanabe, A., see Fukushima, T., 45
Watanabe, S., see Fukushima, T., 45
Watanabe, S., see Yamanouchi, S., 103
Wavrant-DeVrièze, F., Pérez-Tur, J., Lambert, J.-C., Frigard, B., Pasquier, F., Delacourte, A., Amouyel, P., Hardy, J., Chartier-Harlin, M.-C., Association between the low density lipoprotein receptor-related protein (LRP) and Alzheimer's disease, 68
Weiss, T., Kumpf, K., Ehrhardt, J., Gutberlet, I., Miltner, W.H.R., A bioadaptive approach for experimental pain research in humans using laser-evoked brain potentials, 95
Wildgruber, D., Erb, M., Klose, U., Grodd, W., Sequential activation of supplementary motor area and primary motor cortex during self-paced finger movement in human evaluated by functional MRI, 161

Yamada, M., see Murakami, M., 65
Yamamoto, H., see Nishiwaki, Y., 123
Yamamoto, K., see Nogi, H., 37
Yamamoto, Y., see Nishijo, H., 79
Yamanouchi, S., Shimazoe, T., Nagata, S., Moriya, T., Maetani, M., Shibata, S., Watanabe, S., Miyasaka, K., Kono, A., Funakoshi, A., Decreased level of light-induced Fos expression in the suprachiasmatic nucleus of diabetic rats, 103
Yamashima, T., see Nishijo, H., 79
Yamashita, H., see Hara, Y., 127
Yamashita, J., see Nishijo, H., 79
Yan, Q.-S., see Dailey, J.W., 13
Yazawa, K., see Nishijo, K., 165
Yokota, M., see Saido T.C., 75
Yoneda, H., see Nishiwaki, Y., 123
Yoshiiwa, A., see Nishiwaki, Y., 123
Yosikawa, K., see Nishijo, K., 165
Yu, L., see Gong, J., 9

Zheng, H.-X., see Gong, L.-W., 33